

# Primado Series UniBur



# NSK


## UniBur Versatility Without Complexity

Unified System. Streamlined Procedures.

UniBur is a curved, high-performance bur engineered for delicate otology and skull base procedures. Its design enables surgeons to navigate deep into the operative field with precision and control, efficiently reaching the intended surgical site.

Available in a variety of lengths, angles, and tip diameters, UniBur offers the flexibility to suit each surgeon's technique and the unique demands of every case.


From the outset, UniBur was developed with one goal: to help surgeons operate with greater accuracy, confidence, and comfort. Every detail reflects our commitment to simplicity, intuitive handling, and surgical excellence.



## Slim Bur Guard for Maximum Visibility and Access

The UniBur guard features a refined curved profile with a tip diameter of  $\varnothing 1.0\text{--}2.0\text{ mm}$ , providing surgeons with exceptional visibility and accessibility in confined surgical fields. Available in 10°, 15°, and 20° angle options, UniBur allows surgeons to select the configuration that best maximises their line of sight and operative precision.

\* UBS-RD70C1-30




## Effective Cooling Through Six-Point Irrigation

The UniBur delivers even irrigation across the treatment area through up to six spray points.\* Its internal irrigation design keeps the surgical field clear and unobstructed, while also helping to suppress heat generation inside the Bur Guard.


\* Always inject water when using this product.

\* Models with a head diameter of 2.0 mm or larger



### Smooth Connection

Designed for quick attachment and removal, which reduces setup time and eases the workload on the surgical team.



### Grip-enhancing finish

Enhanced grip and control thanks to refined surface finish.



### Smart Guard Engineering for Safer Procedures

By minimising bur shank exposure, the guard design also helps reduce the risk of surrounding tissue entrapment, promoting both safety and control throughout the procedure.


\* Models with a head diameter of 2.0 mm or larger

## Line up

(Actual Size)

### UniBur 130 Designed for Neurosurgery / Skull Base Surgery

Length: 130 mm | Angles: 15° (C2) / 20° (C3)




UniBur 130/C2

UniBur 130/C3

### UniBur 70 Designed for Otologic Surgery

Length: 70 mm | Angles: 10° (C1) / 15° (C2)




UniBur 70/C1

UniBur 70/C2

### UniBur 50 Designed for Otologic Surgery

Length: 50 mm | Angles: 10° (C1) / 15° (C2)



UniBur 50/C1

UniBur 50/C2

# Specifications

Order Code	Diamond Particle Size		Head Size (mm)							Length (mm)			Angle(°)		
	Diamond	Coarse Diamond	0.6	1.0	1.5	2.0	3.0	4.0	4.5	130	70	50	10° (C1)	15° (C2)	20° (C3)
UBS-RD130C2-30	●						●			●				●	
UBS-RD130C2-40	●							●		●				●	
UBS-RD130C2-45	●								●	●				●	
UBS-RCD130C2-30		●					●			●				●	
UBS-RCD130C2-40		●						●		●				●	
UBS-RCD130C2-45		●							●	●				●	
UBS-RD130C3-30	●							●		●					●
UBS-RD130C3-40	●								●	●					●
UBS-RD130C3-45	●									●	●				●
UBS-RCD130C3-30		●						●		●					●
UBS-RCD130C3-40		●							●	●					●
UBS-RCD130C3-45		●								●	●				●
UBS-RD70C1-20	●					●					●		●		
UBS-RD70C1-30	●						●				●		●		
UBS-RD70C2-06	●		●								●			●	
UBS-RD70C2-10	●			●							●			●	
UBS-RD70C2-15	●				●						●			●	
UBS-RD50C1-20	●					●						●	●		
UBS-RD50C1-30	●						●					●	●		
UBS-RD50C2-06	●		●									●		●	
UBS-RD50C2-10	●			●								●		●	
UBS-RD50C2-15	●				●							●		●	

\* Maximum Rotational Speed: 80,000 min<sup>-1</sup> (UBS-RD70C2-06 and UBS-RD50C2-06 limited to 10,000 min<sup>-1</sup>)  
 \* This product is intended for single use only.  
 \* The Surgical Irrigation Tube (Y1500070), sold separately, is mandatory for irrigation during surgery.

## Compatible with Primado2 Control Unit and Slim Motors



Order Code  
**P200-CU-230**  
 Primado2 Control Unit for 230V



Order Code  
**P200-SMH**  
 Primado2 Slim Motor



Order Code  
**Y1500070**  
 Surgical Irrigation Tube



Order Code  
**P200-SMH-S**  
 Primado2 Slim Motor Short



Order Code  
**FC-73**  
 Primado2 Single Foot Control



Order Code  
**FC-74**  
 Primado2 Multi Foot Control

### Important Information for Healthcare Professionals

This catalog is intended for healthcare professionals and provides an overview of NSK Nakanishi Inc.'s medical products. Clinical decisions regarding the use of any product should be made by the treating surgeon based on their professional judgement and the specific needs of each patient. NSK does not provide medical advice. We strongly recommend that surgeons receive appropriate training before using any product in a surgical setting. Before using any NSK product, please consult the product's package insert, label, and instructions for use, including guidelines for cleaning and sterilisation where applicable. Product availability may vary by region due to local regulatory requirements and medical practices. For information regarding product availability in your area, please contact your local NSK representative.

### Manufacturer

**NAKANISHI INC.**  
 700 Shimohinata, Kanuma, Tochigi 322-8666, Japan  
 TEL: +81 289 64 3380 FAX: +81 289 64 3890

**NSK Europe GmbH**   
 Elly-Beinhorn-Str. 8, 65760 Eschborn, Germany  
 TEL: +49 6196 77606 0 FAX: +49 6196 77606 29

**NSK United Kingdom Ltd.**  
 Hertford House, Rutherford Close  
 Stevenage, Hertfordshire, SG1 2EF, UK  
 TEL: +44 1438 310670 FAX: +44 1438 310671

